


# **PRODUCT DATASHEET**

## TNC END LAUNCH PCB **JACK**

13-410-B3-1,6



images for illustration purposes only



| 4  | WASHER         |  | SK5                           |      | NICKEL  |            |
|--|----------------|--|-------------------------------|------|---------|------------|
| 3  | INSULATOR      |  | PTFE                          |      | N/A     |            |
| 2  | CENTRE CONTACT |  | PHOSPHOR BRONZE               |      | GOLD    |            |
| 1  | BODY & NUT     |  | BRASS                         |      | NICKEL  |            |
| ITEM   | DESCRIPTION    | N  | MATERIAL                      |      | PLATING |            |
| Α4   | SHEET 1 OF 1   |  | DIMENSIONS ARE IN MILLIMETRES |      |         |            |
| REVISION: A00                                |                |  | NAME                          | SIGN | ATURE   | DATE       |
|  |                | DRAWN  | G.E.                          |      |         | 21/10/2025 |
| ISSUE  | : 1            | CHK'D  | P.S.                          |      |         | 21/10/2025 |
| 6-8 COLNE ROAD,<br>TWICKENHAM,<br>MIDDLESEX. |                | APPV'D   | )                             |      |         |            |
|  |                | THE INFORMATION IS GIVEN AS AN INDICATION ONLY AND IS SUBJECT TO CHANGE WITHOUT NOTICE. IN THE CONTINUAL GOAL TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO MAKE ANY MODIFICATIONS DECESSABLY WITHOUT PRIOR |                               |      |         |            |

**TW1 4JR** 

THE INFORMATION IS GIVEN AS AN INDICATION ONLY AND IS SUBJECT TO CHANGE WITHOUT NOTICE. IN THE CONTINUAL GOAL TO IMPROVE OUR PRODUCTS,WE RESERVE THE RIGHT TO MAKE ANY MODIFICATIONS NECESSARY WITHOUT PRIOR

### **Environmental Specification**

Operating Temp: -55 to +155 Deg C.

IP Rating (Mated): IP 40

Impedance: 50 Ohm Frequency: 0-11 GHz

Dielectric W/V: 1500 Veff Insulation res: 5000 M-Ohm

### **Electrical Specification** Mechanical Specification

Contact Retention: 10 N min Cable Retention: Not Applicable

Mating cycles: 500 Weight: 13.60 g

### Connector Interface



Tel: +44(0)20 8538 9090 Fax: +44(0)20 8538 9890 Email: info@coax-connectors.com